



E.S.BABCOCK&Sons,Inc.

Environmental Laboratories *est. 1906*

Schedule of Services

6100 Quail Valley Court
Riverside, CA 92507-0704
P 951 653 3351
F 951 653 1662
www.babcocklabs.com

Edward S. Babcock & Sons, Inc. Environmental Laboratories Terms & Conditions

COMPANY INFORMATION

E.S. Babcock & Sons, Inc. (ESB) provides accurate analysis of drinking water, wastewater, groundwater, storm water, soils and hazardous materials. Founded in 1906, Babcock Labs has provided analytical services for over 100 years. ESB combines comprehensive environmental testing services with personalized service to handle all of your environmental testing needs. ESB retains the following certifications: NELAP #02101CA, California ELAP #2698. For specific method and analyte certification information, click "Qualifications" on our website at www.babcocklabs.com.

PAYMENT TERMS AND CONDITIONS

Prepayment is required for all first time clients. Payment terms are net 30 days of invoice date, upon approved credit. A finance charge of 1.5%/mo (18% annually) will be applied to all unpaid balances 30 days past the due date. The minimum charge is \$10. Delinquent accounts will be on a prepayment/C.O.D. basis only. Past Due under this contract is not dependent upon receipt of payment by clients' third party and/or user, and client is solely responsible for timely payment of all invoices notwithstanding payment or non-payment by any said third party and/or user.

AVAILABLE SERVICES

Courier services, sample bottle kits, Chain of Custody forms, seals & labels.

REPORTING

A Standard QC package, when requested, may contain any combination of the following: Method Blank (MB), Lab Control Sample (LCS), Lab Control Sample Duplicate (LCSD), Matrix Spike (MS), Matrix Spike Duplicate (MSD), Sample Duplicate (DUP), and/or Surrogate (SURR). Electronic deliverables can be provided for a nominal fee.

SPECIAL NEEDS, CHARGES

An \$80 minimum charge per submission applies. Extra charges may apply for rush analysis, special sample preparation, non-typical report format, or other non-typical customer requests or needs. Prices are based on the estimated quantities. Should the Scope of Work change, contact ESB for price verification. Additional charges may be assessed for Trip Blank analysis and samples requiring multiple dilutions due to client specific reporting requirements.

SAMPLE SUBMISSION

Before submitting a sample, new clients must fill out a New Client Information form.

Results only apply to the samples submitted.

When submitting a sample the following paperwork must be submitted.

Chain of Custody: Include sample identification, name and address, telephone and fax numbers, written instructions or list of analyses to be performed, email address, date and signature.

Price Quote: A copy of the official price quote (if obtained) must be submitted with the sample.

Samples must be submitted on ice and in the proper containers to help maintain the integrity of the sample.

All samples must be clearly labeled and identified. Instructions must be included with the sample, not separately.

ESB reserves the right to refuse samples at its discretion.

Sample turnaround time is 7-10 working days from the date of sample receipt. Standard turnaround time for hardcopy results is 5 working days from the date of verbal/email/fax results. RUSH analyses are available and should be arranged in advance.

SUBCONTRACTED ANALYSIS

Should instrumentation problems, special methods, or circumstances out of the laboratory's control occur, the project may be subcontracted to a State certified subcontract lab. Additional charges may be incurred. In addition, prices for subcontracted analysis are subject to change. Please contact your Project Manager prior to sample submittal to verify pricing and turnaround time.

SAMPLE DISPOSAL

If a sample is contaminated, either the client may take custody of the sample, or ESB will arrange for proper disposal and bill the client directly.

POLICIES

ESB's liability for any service rendered or test performed on behalf of a client is limited to the amount ESB has been paid by the client for that particular test or service. ESB will not be liable for any consequential damages allegedly sustained by the client as a result of or in connection with a test or service performed by ESB. Under no circumstance shall ESB's liability arising from or in connection with the performance of a test or service exceed the amount it was paid for that test or service. Repeat Analyses: ESB may repeat analyses per the client's request. If the repeat analyses results confirm the original results, the client may be charged for the duplicate testing. ESB may at its sole discretion destroy any and all materials in conjunction with the services rendered pursuant to this contract after a period of seven (7) years from the date that services were last provided by ESB to the client. It is the client's responsibility to advise ESB of any pending litigation that may require retention of records.

Analytical Services Table of Contents

Sample Matrix	Page
Drinking Waters, Wastewaters & Groundwaters	
Microbiology	1
Inorganics - Single Item List	2
Metals	3
Organic Analysis for Drinking Water	4
CA Title 22, Complete Requirements	5
CA Title 21, Complete Requirements for Bottled Waters	6
Disinfection By-Products and Surrogate Parameters	7
UCMR Requirements (Federal & State)	8
Organic Analyses for Wastewaters	9
Groundwaters/Monitoring Wells	Appendix A
Additional Services	10
Soils, Solids, Oils, Sludges & Hazardous Wastes	
Assorted Analyses, Characteristics and Sample Preparation	11
Inorganic Analysis	
Metals	12
Organic Analysis	
Miscellaneous EPA Methods	13
22 CCR W.E.T.	
Extractions & Analyses	14
40 CFR T.C.L.P.	
Extractions & Analyses	15
Soils	
Fuel Tank Removal	
Miscellaneous & EPA Methods	16
Appendix A Groundwaters and Monitoring Wells	17
Appendix B Methods for Organic Determinations	18-21
Appendix C Sample Containers, Preservation & Holding Times	22-25

Drinking Waters & Wastewaters Microbiology

Analysis

Drinking Waters

100 mL 24 Hour Presence/Absence, MMO/MUG (SM 9223B)
100 mL 24 Hour MMO/MUG with enumeration (QuantiTray-2000)
100 mL MTF, LTB/BGB (SM 9221C)
100 mL Presence/Absence Membrane Filtration
Fecal/*E.coli* Confirmation for MTF (SM 9221E&F)
Heterotrophic Plate Count ONLY (SM 9215B)

Wastewaters

3 Dilution MTF Coliform Test (SM 9221B)
3 Dilution MTF Fecal Test* (SM 9221E)
3 Dilution MTF *E.coli* Test* (Ambient Water ONLY; SM9221F)
E. coli 24 Hour MMO/MUG with enumeration (QuantiTray-2000; SM9223)
Heterotrophic Plate Count ONLY (SM 9215B)
Fecal Streptococcus & Enterococcus (SM 9230B)
Enterococcus 24 Hour MUG with enumeration (QuantiTray-2000)

Miscellaneous

Speciation of Enterobacteriaceae and other gram-negatives

Salmonella**

Iron Bacteria (Presence/Absence) (IRB-BART)***

Plate Count on Soils and Sludges (SM 9215B) (Std. Meth. 19th ed.)

Water Suitability

Inhibitory Residue

*Must be performed in conjunction with coliform test.

**Subcontracted

***Iron Related Bacteria - Biological Activity Reaction Tests

**Drinking Waters & Wastewaters
Inorganic Analyses
Single Item List**

Analysis

Alkalinity
(Includes: Hydroxide, Carbonate &
Bicarbonate)
Boron
Bromate
Bromide
Calcium
Chlorate
Chloride
Chlorite
Color
Cyanide
Fluoride
Hardness (Includes Ca & Mg)
Magnesium
MBAS
Nitrogen
 Ammonium
 Nitrate
 Nitrite
Kjeldahl
 Organic (Kj-N - NH₄-N)
 Inorganic (NH₄+NO₃+NO₂ as N)
Odor
Oil & Grease (EPA 1664)
Oxygen
 Dissolved
 BOD (5 day)
 cBOD (5 day)
 COD

Analysis

Perchlorate IC/MS(MS)
Perchlorate (IC)
Petroleum Hydrocarbons
(EPA 418.1)
pH
Phenols (Colorimetric)
Phenols (low level)
Phosphorous, ortho
Phosphorous, total
Potassium
Residues
 Total
 Dissolved
 Fixed
 Volatile
Settleable Solids
Residue, Suspended
 Total
 Volatile
Silica
Sodium
Specific Electrical
 Conductivity (ECx10⁶)
Specific Gravity
Sulfate
Sulfide
TOC
Turbidity

**Drinking Waters & Wastewaters
Inorganic Analyses
Metals**

Analysis	EPA Method (ICP)	EPA Method (ICP/MS)	Method (Other)
Aluminum (Al)	200.7	200.8	
Antimony (Sb)	200.7	200.8	
Arsenic (As)	200.7	200.8	
Barium (Ba)	200.7	200.8	
Beryllium (Be)	200.7	200.8	
Boron (B)	200.7	n/a	
Cadmium (Cd)	200.7	200.8	
Chromium (Cr)	200.7	200.8	
Chromium, Hexavalent (Cr ⁺⁶)	n/a	n/a	SM 3500CrD**
Chromium, Hexavalent (Cr ⁺⁶) (low level)	n/a	n/a	EPA 218.6**
Cobalt (Co)	200.7	200.8	
Copper (Cu)	200.7	200.8	
Iron (Fe)	200.7	n/a	
Lead (Pb)	200.7	200.8	
Manganese (Mn)	200.7	200.8	
Mercury (Hg)	n/a	200.8	SM 3112B
Molybdenum (Mo)	200.7	200.8	
Nickel (Ni)	200.7	200.8	
Selenium (Se)	200.7	200.8	
Silver (Ag)	200.7	200.8	
Thallium (Tl)	200.7	200.8	
Tin (Sn)	200.7	n/a	
Titanium (Ti)	200.7	n/a	
Vanadium (V)	200.7	200.8	
Zinc (Zn)	200.7	200.8	

**Hexavalent Chromium can be performed by one of two methods: 1) Standard Methods SM 3500CrD with a reporting limit of 10 ppb, or 2) EPA 218.6 with a reporting limit of 1 ppb.

**Drinking Waters
Organic Analyses
EPA Method Groupings**

Analysis

EPA Method 524.2

 Volatile Halocarbons & Aromatics
 (California CDPH Regulated and Unregulated Compounds)
 Total Trihalomethanes
 Maximum Potential Trihalomethanes or Formation Potential THMS
 Oxygenates only

EPA Method 504.1

 EDB & DBCP

EPA Method 508

 Organochlorine Pesticides & PCB's
 (California CDPH Regulated and Unregulated Compounds)

EPA Method 515.3

 Chlorinated Herbicides & Pentachlorophenol
 (California CDPH Regulated and Unregulated Compounds)

EPA Method 525.2

 DEHP, DEHA and Benzo(a)pyrene
 Nitrogen & Phosphorus Pesticides
 Federal UCMR 2 List

EPA Method 531.1

 N-Methyl Carbamates
 (California CDPH Regulated and Unregulated Compounds)

EPA Method 547

 Glyphosate

EPA Method 548.1

 Endothall

SM 6251B

 Haloacetic Acids

CA DHS SRLB

 1,2,3-Trichloropropane (1,2,3 - TCP)

**Drinking Waters
California Title 22/SDWA
Complete Requirements¹**

Analysis

Microbiological (Presence Absence – Coliform)

General Mineral (Includes: Bicarbonate, Carbonate, Hydroxide, Total Alkalinity, Calcium, Chloride, Copper, MBAS, Iron, Potassium, Magnesium, Manganese, pH, Sodium, Sulfate, Specific Conductance, Total Dissolved Solids, Total Hardness and Zinc. Corrosivity [Aggressive and Langlier Index] can be calculated with this package at no additional cost.)

Inorganic Chemical (Includes: Aluminum, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Nitrate, Nitrite, Selenium, Silver, Fluoride, Antimony, Beryllium, Nickel, Thallium, Cyanide and Perchlorate.)

General Physical

Radiochemistry (Gross Alpha Only)

Uranium

*

*

Asbestos

*

EPA Organic Methods

524.2	Volatiles	
504.1	EDB and DBCP	
508	Chlorinated Pesticides & PCB's as DCP	
515.3	Chlorinated Acid Herbicides	
525.2	DEHP, DEHA, Benzo(a)Pyrene	
525.2	Nitrogen & Phosphorus Pesticides	
531.1	Carbamates	*
547	Glyphosate	*
548.1	Endothall	
549.1	Diquat	*
1613	Dioxin (2,3,7,8 TCDD)	*

¹ Note: Individual requirements vary according to vulnerability.

*Subcontracted

**Drinking Waters
California Title 21/CDPH Food & Drug Branch
Complete Requirements¹**

Analysis

Group I Physical (Includes: Color, Odor, Turbidity and Total Dissolved Solids)

Group II Chemical Substance 1 (Includes: Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Chloride, Chromium, Copper, Cyanide, Fluoride, Iron, Lead, Manganese, Mercury, Nickel, Nitrate-N, Nitrite-N, Phenols, Selenium, Silver, Sulfate, Thallium and Zinc)

Group III Chemical Substance 2 (Includes: EPA Method 524.2 for VOCs)

Group IV Chemical Substance 3 (Includes: Non-Volatile SOCs listed below)

EPA 504.1	EDB and DBCP	
EPA 508	Chlorinated Pesticides & PCB's as DCP	
EPA 515.3	Chlorinated Acid Herbicides	
EPA 525.2	DEHP, DEHA, Benzo(a)Pyrene	
EPA 525.2	Nitrogen & Phosphorus Pesticides	
EPA 531.1	Carbamates	*
EPA 547	Glyphosate	*
EPA 548.1	Endothall	
EPA 549.1	Diquat	*
EPA 1613	Dioxin (2,3,7,8 TCDD)	*

Group V Radioactivity² (Includes: Gross Alpha and Beta particle activity and Radium 228) *

Group VI Bacteriological (Presence Absence - Coliform)

Group VII Disinfection Byproducts and Residual Disinfectants³
(Includes: Bromate, Chlorite, HAAs, Chloramine, Chlorine, Chlorine Dioxide)

¹ Note: Individual requirements vary according to vulnerability (see CDPH website).

² If gross alpha is <5pCi/L, Radium 226 does not have to be analyzed. Determine only Radium 228. If gross alpha is <15pCi/L, uranium does not have to be analyzed. If these tests are required additional costs will apply.

³ Residual disinfectants and DBP's: (1) Source Water – Firms that do not use a public water system as the source of their water and whose source water has not been treated with a chlorine-based disinfectant or ozone, do not have to test their source water for residual disinfectants and DBP's. Firms that do not use a public water system as the source of their water but whose source water has been treated with a chlorine-based disinfectant or ozone, must test their source water for the residual disinfectants and the DBP's. (2) Product water (Bottled Water) – Test annually for residual disinfectants and DBP's.

*Subcontracted

**Drinking Waters
Disinfection By-Products and Surrogate Parameters**

Analysis	Method	
UV254	SM 5910	
Total Organic Carbon	SM 5310B	
Total Organic Halogen	SM 5320B	*
Inorganic DBPs:	EPA 300.1	
Chlorite		
Bromate		
Chlorate		
Bromide		
Haloacetic Acids:	SM 6251B	
Monochloroacetic Acid		
Monobromoacetic Acid		
Dichloroacetic Acid		
Trichloroacetic Acid		
Bromochloroacetic Acid		
Dibromoacetic Acid		
Trihalomethanes:	EPA 524.2	
Chloroform		
Bromodichloromethane		
Dibromochloromethane		
Bromoform		

*Subcontracted

Drinking Waters

*Federal Unregulated Contaminant Monitoring Rule (UCMR 2)**

Analysis	Method
List 1: Assessment Monitoring	
Dimethoate, Terbufos Sulfone, 5 Brominated compounds	EPA 527
Explosives (3 compounds)	EPA 529
List 2: Screening Survey	
Nitrosamines (6 compounds)	EPA 521
Acetochlor, Alachlor, Metolachlor (parents)	EPA 525.2
Acetanilide degradates (6 compounds)	EPA 535

California Unregulated Chemicals Requiring Monitoring (CA UCMR)

Chromium VI	EPA 218.6
Vanadium	EPA 200.8
Boron	EPA 200.7
Dichlorodifluoromethane (Freon 12) Ethyl tertiary butyl ether (ETBE) Tertiary amyl methyl ether (TAME) Tertiary butyl alcohol (TBA)	EPA 524.2
1,2,3 - Trichloropropane (1,2,3 - TCP)	CA DHS SRLB

*Please call laboratory for special sampling, preservation and handling of samples.

**Wastewaters
Organic Analyses
EPA Method Groupings**

Analysis

Volatiles

EPA Method 624

Semi-Volatiles

EPA Method 625

Base Neutral & Acid Extractables
(2,3,7,8-TCDD Screening is included when requested)

Pesticides and Herbicides

EPA Method 608

Pesticides and PCB's

EPA Method 515.3

Chlorophenoxy Herbicides
(Includes EPA Method 615 and 1658 compounds)

EPA Method 8141

Organophosphorus Pesticides
(Includes EPA Method 614, 622, and 1657 compounds)

Note: Modifications used when appropriate, e.g., use of capillary columns and alternate detectors.

Additional Services

Sampling Services

Composite Sampling*

Sampler Rental (per 24 hour period)
Flow Meter (per 24 hour period)

Hourly Sampling Charge

Minimum charge is 2 hours
Charges greater than the minimum are pro-rated to the half hour.
Distribution System re-samples will be charged a minimum rate of 4 hours.

Groundwater Monitoring

Submersible 2" Grundfos Pump, 100'
120 V Generator (gasoline; recoil) (w/o fuel)
240 V Generator (gasoline; electric start) (w/o fuel)
Electronic Depth Sounder

Please note: Sampling equipment is not available as a separate rental.

On-Site Testing

Chlorine Residual (per sample)
Electrical Conductivity, pH, & Temperature (per location)
Field Filtration & Preservation (per sample)

Shipping (per package, normal ground 3-5 day)

Archive Retrieval

Custom Electronic Deliverables

Sample Disposal (for samples requiring special disposal, i.e. hazardous)

Sample Storage (for samples requiring storage for more than 6 weeks)

**Soils, Solids, Oils, Sludges & Hazardous Wastes
Assorted Analyses
Characteristics & Sample Preparation**

Analysis	Method
Characteristics	
Ignitability, Flash Point	EPA 1010
Free Liquids Test	EPA 9095/1311
pH	EPA 9040/9045
Specific Conductance (liquids only)	EPA 9050
Organic Matter (OM) - Solids	Loss on Ignition Dichromate Reduction
Total Organic Carbon (TOC)	Combustion/IR
Total Organic Carbon (TOC) – Groundwater	EPA 9060/SM 5310B
Water Content (solids)	Gravimetric
Soil Corrosion (pH, Redox, Sat. Res., Sulfide)	
Sample Preparation (Extracts, Digestions & Clean Up)	
Total Acid Digest or Dry Ash (metals)	EPA 3000 series
Bomb Combustion (anion determination)	EPA 5050
W.E.T. (citrate)	22 CCR 66261.24
W.E.T. (water for Cr ⁺⁶)	22 CCR 66261.24
TCLP (non-volatiles)	EPA 1311
TCLP (volatiles-ZHE)	EPA 1311
Organic Extraction & Clean-up	EPA 3500 & 3600
Water Extract	1:10 Ratio
Inorganic Non-Metals & Bacteriology	
Anions (Cl, NO ₃ , SO ₄)	EPA 9056/300.0
Chlorine, Total (in oils)	EPA 9076
Coliform, Total	SM 9221B
Coliform, Fecal (in addition Total Coliform)	SM 9221E
Cyanide, Total	EPA 9012A
Cyanide, Amenable to chlorination	EPA 9012A
Fluoride, Total	EPA 340.2/9214
Perchlorate (soils only)	EPA 9058
Perchlorate by IC/MS(MS)	EPA 6860
Sulfide, Water Extractable	SM 4500-52-D

**Soils, Solids, Oils, Sludges & Hazardous Wastes
Inorganic Analyses
Metals**

Analysis	EPA Method (ICP)	EPA Method (ICPMS)	EPA Method (Other)
Metals			
Aluminum (Al)	6010	6020	
Antimony (Sb)	6010	6020	
Arsenic (As)	6010	6020	
Barium (Ba)	6010	6020	
Beryllium (Be)	6010	6020	
Boron (B)	6010	n/a	
Cadmium (Cd)	6010	6020	
Chromium (Cr)	6010	6020	
Chromium, hexavalent (Cr ⁺⁶)	n/a	n/a	7199
Chromium, hexavalent (Cr ⁺⁶)	n/a	n/a	7196
Cobalt (Co)	6010	6020	
Copper (Cu)	6010	6020	
Iron (Fe)	6010	n/a	
Lead (Pb)	6010	6020	
Manganese (Mn)	6010	6020	
Mercury (Hg)	n/a	6020	7470/7471
Molybdenum (Mo)	6010	6020	
Nickel (Ni)	6010	6020	
Selenium (Se)	6010	6020	
Silver (Ag)	6010	6020	
Thallium (Tl)	6010	6020	
Tin (Sn)	6010	6020	
Vanadium (V)	6010	6020	
Zinc (Zn)	6010	6020	

**Soils, Solids, Oils, Sludges, & Hazardous Wastes
Organic Analyses
Miscellaneous EPA Methods**

Analysis	Method
General Organics	
Oil & Grease, Total Recoverable	EPA 9070/9071
Phenolics, total	EPA 9066
TOC	
Chromatographic Organics	
EDB and DBCP	EPA 8011
Volatile Organics (GC/MS)	EPA 8260
Volatile Organics <i>listed in</i> EPA Methods: 8015, 8030 and 8031	EPA 8260
Volatile Organics (Oxygenates only)	EPA 8260
Semi-Volatile Organics	EPA 8270
Semi-Volatile Organics <i>listed in</i> EPA 8000 series methods	EPA 8270
Pesticides & Arochlors	
Organochlorine (PCB's <i>not</i> included)	EPA 8081
Polychlorinated Biphenyls (PCB's)	EPA 8082
Organochlorine Pesticides plus PCB's	EPA 8081 & 8082
Organophosphorus Pesticides	EPA 8141/8270
Chlorophenoxy Herbicides	EPA 8151

Note: All prices include secondary column or GC/MS confirmation, when required.
Travel blanks & field equipment blanks are charged as samples.

*Target analyte list to be supplied by client.

**Soils, Solids, Oils, Sludges & Hazardous Wastes
22 CCR W.E.T.
Extractions & Analyses**

Analysis

Non-Volatiles Extraction (Water)

Hexavalent Chromium (Cr⁺⁶)

Non-Volatiles Extraction (Citrate)

Metals:

Antimony	Cobalt	Selenium
Arsenic	Copper	Silver
Barium	Lead	Thallium
Beryllium	Mercury	Vanadium
Cadmium	Molybdenum	Zinc
Chromium	Nickel	

EPA Method 8081/8082

Aldrin	DDT	Methoxychlor
Chlordane	Dieldrin	PCB's
DDD	Endrin	Toxaphene
DDE	Heptachlor	

EPA Method 8151

2,4-D and Silvex (2,4,5, TP)

EPA Method 8270

Kepone, Mirex, Pentachlorophenol & 2, 3, 7, 8-TCDD
(Dioxin Scan per EPA 625)

EPA Method 8260

TCE

EPA Method 9214

Fluoride

TOTAL CCR W.E.T. Analysis

(Excluding Asbestos & Dioxin Confirmation)

Asbestos & 2,3,7,8-TCDD (Dioxin Confirmation by EPA Method 8280)

Samples are sent to a DHS approved laboratory.

**Soils, Solids, Oils, Sludges & Hazardous Wastes
40 CFR T.C.L.P.
Extractions & Analyses**

Analysis

Non-Volatiles Extraction

Metals:

Arsenic	Chromium	Selenium
Barium	Lead	Silver
Cadmium	Mercury	

EPA Method 8081

Chlordane	Heptachlor Epoxide	Methoxychlor
Endrin	Lindane	Toxaphene
Heptachlor		

EPA Method 8151

2,4-D and Silvex

EPA Method 8270

p, m & o-Cresols	Hexachloroethane	Pyridine
2, 4-Dinitrotoluene	Nitrobenzene	2, 4, 5-Trichlorophenol
Hexachlorobenzene	Pentachlorophenol	2, 4, 6-Trichlorophenol
Hexachloro-1, 3-Butadiene		

Volatiles Extraction (ZHE) Zero Headspace

EPA Method 8260

Benzene	1, 4-Dichlorobenzene	PCE
Carbon Tetrachloride	1, 2-Dichloroethane	TCE
Chlorobenzene	1, 1-Dichloroethylene	Vinyl Chloride
Chloroform	MEK	

TOTAL T.C.L.P. Analysis

**Soils
Fuel Tank Removal
Miscellaneous & EPA Methods**

Analysis	Method
Total Petroleum Hydrocarbons (TPH) Total Recoverable Petroleum Hydrocarbons	Spectrophotometric
Total Volatile Hydrocarbons (EPA 8015) Gasoline Range Organics (GRO) only	GC/FID
Total Semi-Volatile Hydrocarbons (EPA 8015) Diesel Range Organics (DRO) only	GC/FID
EPA Method 8260 Benzene, Toluene, Xylenes & Ethylbenzene (B-T-X-E and MTBE)	GC/MS
Total Lead (Pb)	Acid Digest/ICP-MS
Extractable Lead (Pb)/22 CCR §66261 (Appendix II)	W.E.T./ICP-MS

Appendix A

Groundwaters / Monitoring Wells

Note: Groundwater monitoring programs are often project and program specific. Depending on the lead regulatory authority (i.e. DTSC, RWQCB, USEPA, etc.), project plans may require a mixture of various analytical protocol. Monitoring wells usually provide aqueous samples with matrices similar to many drinking waters and wastewaters and, as such, are priced accordingly.

Analytes of Concern	Analytical Methods required found in:	Analyte as found on page(s)
Anions and cations, residues, nutrients, demand constituents	SW 846; Drinking water methods; wastewater methods	2
Metals	SW 846 (6000 and 7000 series); Water and wastewater methods (200 series)	3
Organics	500 series, 600 series, 8000 series	Appendix B
TOC	SM 5310B	2 and 11
1,4 Dioxane	8270M	
NDMA	8270M or 521	

**Appendix B
Methods for Organic Determinations
Numerical Listings**

Method	Analyte	ESB Certified Method Used as Approved Alternative	Cross-Ref. Page(s)
314.0	Perchlorate		2
314.1	Perchlorate	314.0	2
331.0	Perchlorate by HPLC/MS/MS	332.0	2
332.0	Perchlorate by IC/MS(MS)		2
415.1	TOC	SM 5310B	2
418.1	Petroleum Hydrocarbons by IR		2, 16
420.1	Phenolics		2
420.2	Phenolics (low level)		2
425.1	MBAS	SM 5540C	2
450.1	TOX	SM 5320B	*
501.3	Total THM's	524.2	4, 7
502.2	Volatiles by GC	524.2	4, 5
504.1	EDB, DBCP		4, 5, 6
505	Chlorinated Pesticides & PCB's	508	4
506	Phthalates & Adipates	525.2	4
507	N-P Pesticides	525.2	4, 5, 6
508	Chlorinated Pesticides & PCB's		4, 5, 6
508A	PCB's as DCB	508 (as screen)	4, 5, 6
510.1	Maximum Potential THM's	524.2	4
515.1	Chlorinated Herbicides	515.3	4, 5, 6
515.2	Chlorinated Herbicides	515.3	4, 5, 6
515.3	Chlorinated Herbicides	515.3	4, 5, 6
515.4	Chlorinated Herbicides	513.3	4, 5, 6
521	Nitrosamines		8
524.2	Volatiles by GC/MS		4, 5
525.2	Semivolatiles by GC/MS		4, 5, 6
527	Pesticides and Flame Retardants		8
529	Explosives		8
531.1	Carbamates		*
535	Acetamide Herbicide Degradates		8
547	Glyphosate		*
548.1	Endothall		4, 5, 6
549.1	Diquat & Paraquat		*
550/550.1	PAH's	525.2	4
551.1	Chlorinated DBP's		*
552.1	Haloacetic DBP's	SM 6251B	4, 7
555	Chlorinated Herbicides	515.3	4, 5, 6
601	Chlorinated Volatiles	624	9
602	Aromatic Volatiles	624	9

*Subcontracted

Effective January 1, 2010

E.S. Babcock & Sons, Inc.

951-653-3351

**Appendix B
Methods for Organic Determinations
Numerical Listings**

Method	Analytes	ESB Certified Method Used as Approved Alternative	Cross-Ref. Page(s)
603	Acrolein & Acrylonitrile	624	9
604	Phenols by GC	625	9
605	Benzidine	625	9
606	Phthalates	625	9
607	Nitrosoamines	625	9
608	Chlorinated Pesticides & PCB's		9
608.1/608.2	Misc. Chlorinated Pesticides	608	9
609	Nitroaromatics & Isophorone	625	9
610	PAH's	625	9
611	Haloethers	625	9
612	Chlorinated Hydrocarbons	625	9
613	2,3,7,8-TCDD (Dioxin)		--
614	Misc, O-P Pesticides	525.2	--
615	Chlorinated Herbicides	515.3	9
617	Misc. Chlorinated Pesticides	608	9
619	Triazine Pesticides	525.2	--
622	Misc. O-P Pesticides	525.2	--
624	Volatiles by GC/MS		9
625	Semivolatiles by GC/MS		9
630/630.1	Dithiocarbamates		--
632/632.1	Carbamate Pesticides by HPLC		--
633/633.1	Organonitrogen Pesticides	525.2	--
1311	TCLP-ZHE (Extraction only)		11, 15
1311	TCLP Bottle (Extraction only)		11, 15
1613	Dioxins (2,3,7,8-TCDD)		5, 6
1624	Volatiles by Isotope MS	624	--
1625	Semivolatiles by Isotope MS	625	--
1658	Chlorophenoxy Herbicides	515.3	9
1660	Pyrethins, Fenvalerate		--
1664	TPH/Oil & Grease		2
3510	Sep. Funnel Extraction		11
3520	Cont. Liq./Liq. Extraction		11
3540	Soxhlet Extraction		11
3541	Automated Soxhlet	3540	11
3545	Accelerated Extraction	3540	11

*Subcontracted

**Included with determinative method

**Appendix B
Methods for Organic Determinations
Numerical Listings**

Method	Analytes	ESB Certified Method Used as Approved Alternative	Cross-Ref. Page(s)
3550	Ultrasonic Extraction		** 11
3580	Waste Dilution		** 11
3610/3611	Alumina Clean-up		** 11
3620	Florisil Clean-up		** 11
3630	Silica Gel Clean-up		** 11
3650	Acid-Base Clean-up		** 11
3660	Sulfur Clean-up		** 11
3665	Sulfuric Acid/Permanganate Clean-up		** 11
3810	Headspace		--
3820	Hexadecane Extraction		--
5030/5035	Purge & Trap		--
5040/5041	Sorbant Cartridges		* --
5050	Bomb Preparation		11
5310B (std.meth.)	TOC		7
5320B (std.meth.)	TOX		* --
5910 (std.meth.)	UV 254 Absorbance		7
6251B (std.meth.)	Haloacetic DBP's		4, 6, 7
6610 (std.meth.)	Carbamates	531.1	* 4, 5, 6
6651 (std.meth.)	Glyphosate	547	* 4, 5, 6
6860	Perchlorate by IC/MS/MS		2, 11
8010	Halogenated Volatiles	8260	13
8011	EDB & DBCP		13
8015	Non-Halogenated Volatiles	8260	13
8015-"Modified"	Petroleum Hydrocarbons	ESB-SOP's	16
8020	Aromatic Volatiles	8260	13
8021	Volatiles by GC	8260	13
8030	Acrolein & Acrylonitrile	8260	13
8031	Acrylonitrile	8260	13
8040/8041	Phenols by GC	8270	13
8060/8061	Phthalates	8270	13
8070	Nitrosamines	8270	13
8080	Chlorinated Pesticides & PCB's	8081 & 8082	13, 14
8081	Chlorinated Pesticides		13
8082	PCB's		13
8090/8091	Nitroaromatics & Ketones	8270	13
8100	PAH's	8270	13
8110/8011	Haloethers	8270	13
8120/8121	Chlorinated Hydrocarbons	8270	13

*Subcontracted

**Included with determinative method

Effective January 1, 2010

E.S. Babcock & Sons, Inc.

951-653-3351

**Appendix B
Methods for Organic Determinations
Numerical Listings**

Method	Analytes	ESB Certified Method Used as Approved Alternative	Cross-Ref. Page(s)
8140	O-P Pesticides	8141	13
8141	O-P Pesticides		13
8150	Chlorinated Herbicides	8151	13, 15
8151	Chlorinated Herbicides		13
8240	Volatiles by GC/MS	8260	13
8250	Semivolatiles by GC/MS	8270	13
8260	Volatiles by GC/MS		13, 14, 15, 16
9058	Perchlorate on Soils		11
8270	Semivolatiles by GC/MS		13, 14, 15
8280	Dioxins & Furans		14
8290	Dioxins & Furans		--
8310	PAH's	8270	13
8315	Formaldehyde (Aldehydes)		--
8318	Carbamates		--
9020	TOX	SM 5320B	--
9060	TOC	SM 5310B	11
9065/9066	Phenolics		13
9070	Total Recoverable O & G		13
9071	O & G in Sludge		13
9076	Total Chlorine in Oil		11

*Subcontracted

Notes:

- 1) The method references listed in this appendix refer to the latest promulgated revisions, even though the SW 846 method numbers herein do not include the appropriate letter suffix (for brevity and convenience).
- 2) E.S. Babcock and Sons, Inc. will utilize the methods listed in the column entitled "ESB Certified Method Used as Approved Alternative" whenever the alternative method appears in this appendix. If this alternate method will not meet your specific project requirements, please let us know so we can arrange for the protocol you require.
- 3) The method numbers listed in this appendix are primarily EPA methods. The remaining methods are found in **Standard Methods for the Examination of Water and Wastewater**, 20th and 21st Editions. (except where noted). If you require a specific analytical method not referenced in this appendix (i.e., other EPA or APHA/AWWA methods or any NIOSH, ASTM, CARB, etc. methods) please inquire.

Appendix C
Sample Containers, Preservation Techniques, and Holding Times
For Aqueous Matrices

Bacteriological Analyses

<u>Determination</u>	<u>Method</u>	<u>Container/ Min. Volume (mL)</u>	<u>Preservative</u>	<u>Holding Time¹</u>
Coliform, Total	SM9221B,SM9223	P,G/Sterile/100	<10°C ¹²	6hrsWW/ 8hrsSW/ 30hrsDW
Coliform, Fecal	SM9221E,SM9223	P,G/Sterile/100	<10°C ¹²	6hrsWW/ 8hrsSW/ 30hrsDW
Enterococcus	SM9230B	P,G/Sterile/100	<10°C ¹²	6hrsWW/ 8hrsSW/ 30hrsDW
	ASTM D650399	P,G/Sterile/100	<10°C ¹²	6hrsWW/ 8hrsSW/ 30hrsDW
Heterotrophic Plate Ct.	SM9215B	P,G/Sterile/100	<10°C ¹²	6hrsWW/ 8hrsSW/ 30hrsDW
Streptococcus, Fecal	SM9230B	P,G/Sterile/100	<10°C ¹²	6hrsWW/ 8hrsSW/ 30hrsDW

Inorganic and Wet Chemistry Analyses

<u>Determination</u>	<u>Method</u>	<u>Container/ Min. Volume (mL)</u>	<u>Preservative</u>	<u>Holding Time¹</u>
Alkalinity*	SM2320B	P,G/500	≤6°C	14 days
Ammonia	SM4500NH3H	P,G/100	≤6°C,H ₂ S ₀ ₄	28 days
Asbestos	100.2	P/1000	≤6°C	48 hours ¹³
BOD*	SM5210B	P,G/1000	≤6°C	48 hours
Boron	200.7	P/500	HNO ₃ ⁸	6 months
Bromate	300.1	P,G/100	≤6°C,EDA	28 days
Bromide*	300.1	P,G/100	None	28 days
Cations(Ca,Mg,Na,K)	200.7	P,G/500	HNO ₃ ⁸	6 months
COD	SM5220D	P,G/100	≤6°C,H ₂ S ₀ ₄	28 days
Chloride*	300.0	P,G/100	None	28 days
Chlorine demand	SM2350B	P,G/1000	None	15 minutes
Chlorine dioxide*	SM4500ClO ₂ D	P,G/100	None	15 minutes
Chlorine, residual*	SM4500CIG	P,G/100	None	15 minutes
Chlorate	300.1	P,G/100	≤6°C,EDA	28 days
Chlorite	300.1	P,G/100	≤6°C,EDA	14 days
Chromium-Hexavalent	SM3500CrD	P,G/100	≤6°C,NH ₄ Buffer ¹⁵	28 days
Chromium-Hex.(low level)	218.6	P,G/500	≤6°C,NH ₄ Buffer ¹⁵	28 days
	7199	P,G/500	≤6°C	24 hours
Color*	SM2120B	P,G/100	≤6°C	48 hours
Cyanide	SM4500CN CE,G	P,G/250	≤6°C ⁶ ,NaOH ¹⁴	14 days
Dissolved Oxygen	SM4500 O C	G/300	Fixed on site	8 hours
Flashpoint	1010	G/500	None	Not Specified
Fluoride*	SM4500 FC	P/100	None	28 days
Hardness (Total)	200.7	P,G/500	HNO ₃ ⁸	6 months
Metals ICP (inc. Cations)	200.7,6010B	P,G/500	HNO ₃ ⁸	6 months
Metals ICPMS	200.8,6020	P,G/500	HNO ₃ ⁸	6 months
Mercury	7470,7471,200.8	P,G/500	HNO ₃ ⁸	28 days
	SM3112B	P,G/500	HNO ₃ ⁸	28 days
Nitrate*	300.0	P,G/100	≤6°C	48 hours
Nitrite*	SM4500NO ₂ B	P,G/100	≤6°C	48 hours
Nitrogen–Total Kjeldahl	351.2	P,G/500	≤6°C,H ₂ S ₀ ₄	28 days
Odor	SM2150B	P,G/100	≤6°C	48 hours
Oil & Grease	1664	G-A/500 ¹⁰	≤6°C,H ₂ S ₀ ₄	28 days
PCBSA*	300.0	P,G/100	None	28 days
Perchlorate*	314	P,G/100	≤6°C	28 days

Appendix C
Sample Containers, Preservation Techniques, and Holding Times
For Aqueous Matrices

Inorganic and Wet Chemistry Analyses

<u>Determination</u>	<u>Method</u>	<u>Container/ Min. Volume (mL)</u>	<u>Preservative</u>	<u>Holding Time¹</u>
Perchlorate (low level)	332.0/6860	P,G/100 sterile	≤6°C	28 days
pH*	SM4500H+B	P,G/100	None	15 minutes
Phenols	420.4	G-A/250	≤6°C ⁶ ,H ₂ SO ₄	28 days
Phenols (low level)	SM5530C	G-A/1000	≤6°C,H ₂ SO ₄	28 days
Phosphates – Ortho*	SM4500P E	P,G/100	≤6°C	48 hours
Phosphorus, Total (as P)	SM4500P E	P,G/100	≤6°C,H ₂ SO ₄	28 days
Silica, Reactive*	SM4500 SiO ₂ C	P/500	≤6°C	28 days
Silica, Total	200.7	P/500	HNO ₃ ⁸	6 months
Solids-Dissolved-TDS*	SM2540C	P,G/500	≤6°C	7 days
Solids-Suspended-TSS*	SM2540D	P,G/500	≤6°C	7 days
Solids-Total*	SM2540B	P,G/500	≤6°C	7 days
Solids-Settleable Solids	SM2540F	P,G/2000	≤6°C	48 hours
Solids-Volatile*	160.4	P,G/500	≤6°C	7 days
Specific Conductance-EC*	SM2510B	P,G/100	≤6°C	28 days
Sulfate*	300.0	P,G/100	≤6°C	28 days
Sulfide, dissolved	SM4500S D	P,G/100 ⁹	≤6°C,zero headspace	ASAP/7 floc -ZnAc
Sulfide, total	SM4500S D	P,G/100	≤6°C,NaOH,ZnAcetate	7 days
Surfactants (MBAS)*	SM5540C	P,G/500	≤6°C	48 hours
Turbidity*	SM2130B	P,G/100	≤6°C	48 hours
Uranium	200.8	P,G/500	HNO ₃ ⁸	6 months
UV-254	SM ^{20th} 5910B	G-TLC-A/250	≤6°C	2 days
Volatile Acids	SM5560C	P,G/500	≤6°C	7 days

Organic Analyses

<u>Determination</u>	<u>Method</u>	<u>Container/ Min. Volume (mL)</u>	<u>Preservative</u>	<u>Holding Time¹ Extraction/Analysis</u>
Semivolatiles, N.P. Pest.	525	G-TLC-A/1000	≤6°C ³ ,HCl	14/30 days
Base/Neutrals/Acid	625	G-TLC-A/1000	≤6°C ³	7/40 days
	8270	G-TLC-A/1000	≤6°C ³	7/40 days
Carbamates	531.1	VOA-G-A/3 x 40 vials	≤6°C,Na ₂ S ₂ O ₃ ,MCAA ⁴	28 days
Chlorinated pests/PCBs	508	G-TLC-A/1000	≤6°C ³	7/14 days ⁷
Chlorinated pesticides	608,8081	G-TLC-A/1000	≤6°C ³	7/40 days ⁷
Polychlorinated Biphenyls	608	G-TLC-A/1000	≤6°C	1year/1year
	8082	G-TLC-A/1000	≤6°C	7/40 days
Chlorinated Herbicides	515.3	G-TLC-A/1000	≤6°C ³	14/14 days
	8151	G-TLC-A/1000	≤6°C ³	7/40 days
Diesel Range Organics	8015B	VOA-G/4 x 40 vials, TB ²	≤6°C,HCl or H ₂ SO ₄	14 days recom.
Dioxins	1613B	G-A/1000	≤6°C ³	30 days
Diquat	549.1	P/1000	≤6°C ³	7 days for ext ¹³
EDB and DBCP	504,8011	VOA-G-A/3 x 40 vials	≤6°C, Na ₂ S ₂ O ₃	14 days
Endothall	548.1	G-A/500	≤6°C ³	7/14 days
Ethylene Glycol	GCFID	G-TLC-A/1000	≤6°C	40 days
Gasoline Range Orgs.	8015B	VOA-G/4 x 40 vials	≤6°C,HCl	14 days recom.
Glyphosate	547	VOA-G/3 x 40 vials	≤6°C, Na ₂ S ₂ O ₃	14 days ⁷
Haloacetic Acids	SM ^{19th} 6251B	VOA-G/4 x 40 vials	≤6°C,NH ₄ Cl	9/21 days
Organophos. Pests.	8141	G-TLC-A/1000	≤6°C ³	7/40 days ⁷

Appendix C
Sample Containers, Preservation Techniques, and Holding Times
For Aqueous Matrices

Organic Analyses

<u>Determination</u>	<u>Method</u>	<u>Container/ Min. Volume (mL)</u>	<u>Preservative</u>	<u>Holding Time¹ Extraction/Analysis</u>
Total Organic Carbon	SM5310B	P,G/4 x 40 vials	≤6°C, H ₂ SO ₄	28 days
Total Organic Halogen	SM ^{20th} 5320B	G-TLC-A/250	≤6°C ³ , H ₂ SO ₄	28 days
TPH	418.1	G-TLC-A/1000	≤6°C, H ₂ SO ₄	28 days
Trihalomethanes	524.2	VOA-G-A/4 x 40 vials	≤6°C, NH ₄ Cl	14 days
Volatile Organics	524.2, 624, 8260	VOA-G/4 x 40 vials, TB ²	≤6°C, HCl ³	14 days

Radiochemistry Analyses

<u>Determination</u>	<u>Method</u>	<u>Container/ Min. Volume (mL)</u>	<u>Preservative</u>	<u>Holding Time¹ Extraction/Analysis</u>
Gross Alpha	900.0, 9310	P,G/1000	HNO ₃ ⁵	6 months
Gross Beta	900.0, 9310	P,G/1000	HNO ₃ ⁵	6 months
Uranium	908.0	P,G/1000	HNO ₃ ⁵	6 months
Radium 226	903.1	P,G/1000	HNO ₃ ⁵	6 months
Radium 228	904.0, 9320	P,G/2000	HNO ₃ ⁵	6 months
Radon	913	G-TLC-A /2 x 250 ¹¹	≤6°C	4 days
Strontium 90	905.0	P,G/1000	HNO ₃ ⁵	6 months
Tritium	906.0	G/1000	None	6 months

Notes:

G=Glass, P=Polyethylene (plastic), G-A=Amber Glass, VOA=Vial with Teflon-lined septum – zero head space, G-TLC-A=Amber Glass with Teflon-lined cap, Recom.=recommended, DW = drinking water, SW = source water, WW = wastewater, °C = degrees Celcius, floc = flocculate, EDA = Ethylenediamine.

SM refers to Standard Methods for the Examination of Water and Wastes, 18th Edition unless otherwise noted. All other methods referenced are EPA numbers.

* All of these analyses can be performed out of one 1/2 gallon plastic container.

1. Holding times per 40 CFR 141 for drinking waters, and CFR 136.3 for wastewaters.
2. Travel Blank (also preserved with HCl).
3. If Chlorine Residual is present, sodium thiosulfate or sodium sulfite (525) is needed to neutralize free chlorine. Dechlorinator must be added prior to acidification. If it is not added at the time of collection, dechlorinator is added to nonvolatile samples (except 549) at the time of extraction to ensure that residual chlorine is not present. Consult method.
4. Monochloroacetic acid (MCAA) buffer (pH3) is added at the ratio of 1.2 mL per 40 mL sample.
5. Sample preserved at lab after Electrical Conductivity is checked.
6. Preserved sample is screened for chlorine as necessary and treated at lab. See SOP A06 for more details.
7. See method exceptions.
8. Sample can be preserved at lab in its original container and must be held ≥ 24 hrs. prior to analysis.
9. Collect grab sample in 1 quart plastic container, fill completely, eliminating all headspace.
10. Grab sample only.
11. Consult laboratory for special instructions.
12. With Sodium thiosulfate
13. Analysis is subbed out. Please allow extra time for short holding time analyses.
14. Client submits unpreserved sample which is screened for sulfide and chlorine as necessary and preserved to pH>12 with NaOH upon receipt to the laboratory. See SOP A06 for more details.
15. Client submits unpreserved sample which is filtered as necessary and preserved by the laboratory to pH 9.3-9.7 with NH₄ buffer within 24 hours.

Basic Sampling Guidelines

- A. Always utilize proper sampling containers and preservatives.
- B. For organic analytes, all bottles should have Teflon lined caps, vials should have Teflon lined septa.
- C. Soil samples are typically collected in brass or steel tubes and wide mouth jars (500ml) with Teflon-lined caps. Sludges should be collected in wide mouth jars, not brass or steel tubes. Store at $\leq 6^{\circ}\text{C}$**
- D. Aqueous samples for volatile analyses should not have head space between the sample matrix and septum, or bubbles within the sample.
- E. Samples requiring organic analyses should never be handled with plastic implements, latex gloves, or stored in plastic containers. Glass is the only acceptable container (except EPA 549).
- F. Always use trip blanks when samples require volatile analyses. Fill completely, eliminate all headspace.
- G. Keep samples isolated from all possible sources of contamination (i.e., gasoline refueling operations, solvents, paints, lacquers, and adhesives).
- H. Always complete a Chain-of-Custody form.
- I. Use blue ice packs in coolers when possible.
- J. Deliver samples directly to the laboratory as soon as possible.